




Posicion	Cantidad	Referencia	Descripcion	PG
1	2	141118730	Torn.alom.para chapa	11
2	1	343399930	Proteccion	17
3	1	343395350	Mango	24
4	1	343395360	Estribo de conexion	19
5	2	342001180	Resorte de presion	11
6	1	316048490	Mango	30
7	1	341704290	Fitting screw	11
8	1	141151940	Arandela	11
9	9	141113180	Torn.alom.para chapa	11
10	1	343399640	Carcasa 2p,c.revestimiento	32
11	1	341055110	Tapiz de presion	11
12	2	344070660	Filtro	11
13	1	343399630	Horquilla de conexion	11
14	1	342002440	Resorte de presion	11
15	1	317004120	Motor,36 V	36
16	1	316048500	Puente de cojinete cpl.	33
17	2	141119850	Torn.alom.mikrov	11
18	2	341060030	Casquillo distanciador	12
20	3	141152070	Arandela	11
21	1	344099060	Goma espuma	11
22	1	316047800	Pinion cpl.	26
24	1	341013140	Casquillo distanciador	12
25	1	339134890	Tapa	23
26	2	141119780	Tornillo hexagonal taptite	12
27	1	343391520	Deposito	21
29	1	316027170	Proteccion	23
30	2	141121710	Tornillo	11
31	1	344163000	OBERMESSER VOLLST.	32
32	1	344163800	Untermesser vollst.	27
33	1	339135030	Liston de presion	20
34	6	141120210	Tornillo hexagonal taptite	11
35	1	316054650	Cuchilla cpl.	45
36	1	338056070	Placa de caracteristicas	11
37	1	343082300	Unidad electronica,36 V	41
38	1	343394790	Corredera de conexion	11
39	1	342022460	Resorte c. patas	11
40	1	343394770	Anilla prensora	11
41	1	343399620	Pulsador del interruptor	13
42	4	141152400	Arandela	11
44	1	316055480	Rueda dentada cpl.	27
47	1	339132380	Biela	18

Posicion	Cantidad	Referencia	Descripcion	PG
48	1	339132370	Biela	18
49	1	141130650	Tuerca hexagonal	12
95	2	343439680	Tapa de cierre	11
880	0,008	136011850	Grasa especial metabo	38
1001	1	338505410	Esquema electrico	

