



Position	Amount	Type number	Description	PG
1	1	316066620	Flange compl.	22
2	1	141180170	Retaining ring	11
3	1	316097680	Pendulum guard comp.	30
4	1	342010940	Extension Spring	11
5	4	141120070	Fill. head screw	11
6	1	315421890	Saw housing cover	26
7	1	343446570	Transparent cover, upper	13
8	1	316097690	spring sheet cpl.	19
9	1	316097700	Rubber ring compl.	14
10	1	315420100	Saw housing bottom	29
11	2	141124860	Countersunk screw	11
12	1	316097710	Gear parts compl.	31
13	8	141116020	Self-tap fill h screw	12
14	1	316066600	Gear housing compl.	25
15	1	316097720	Clamping lever compl.	25
16	1	339153250	Baffle	13
17	2	143111440	Ball bearing, 12x28x8	27
18	1	310014410	Rotor compl.	34
19	1	344102650	Rubber bushing	14
20	1	311013870	Stator compl.	37
21	2	339007830	Washer	11
22	2	141116990	Self-tap. fill. h. screw	12
23	1	343464570	Motor cap	18
24	2	141123940	Self-tap. fill. h. screw	11
25	1	343449660	Handle element	14
26	1	315015240	Motor housing	28
27	1	338129960	Indication label, CAS	12
28	1	343460090	Press button	12
29	1	343413200	Sliding guide	12
30	1	342002440	Pressure spring	11
31	1	343087290	Micro switch	21
32	1	343093300	Electronic unit compl.	41
33	3	341213440	Shrink hose	11
34	1	338083750	Rating plate 00773000 MKS 18 LTX BL 58	12
35	1	343446360	Release button	11
36	1	342022550	Spring clip	11
37	1	342001770	Pressure spring	11
38	1	343446350	Switch trigger	11
39	1	344092220	Rubber plug	11
40	3	141111430	Fillister head screw	12
41	1	316097730	Spindle lock compl.	20

Position	Amount	Type number	Description	PG
42	1	344161520	Cranked wrench key	12
43	1	339137930	Adaptor	18
44	1	341571050	Shoulder bolt	11
45	2	141130650	Hexagonal lock nut	12
46	1	339148910	Base plate	26
47	1	341722800	Thumbscrew	12
48	1	342024140	Depth Plate Spring	11
49	1	316097740	Chip container cpl.	21
51	1	343447010	Insert	11
52	1	331054750	Parallel guide	20
880	1	344130970	Grease 50Gr 1,8oz	22
1001	1	338511000	Wiring diagram	

