




Posicion	Cantidad	Referencia	Descripcion	PG
1	1	141181680	Arandela de muelle	11
2	1	339210920	JUNTA	11
3	1	341511630	Tope de profund.	16
4	3	141123610	Torn.alom.para chapa	11
5	1	316042790	Carcasa Engranaje cpl.	35
6	1	340004010	Doble engrane	20
7	1	316041940	Carcasa de conexión cpl.	20
8	1	316045940	Eje de pinon c. embrague	33
9	1	344097930	Junta	11
10	1	316042800	Brida de engranaje cpl.	30
11	1	341604020	Husillo	27
12	1	143115790	Rodamiento radial	15
13	1	341055650	ARANDELA	15
14	1	314001030	Empuñadura cpl.	23
15	1	141155810	Anillo	11
16	1	316041960	Boton de conexión cpl.	13
17	1	341540010	Perno guia	16
18	1	339133070	Horquilla de conexión	13
19	1	141116990	Torn.alom.para chapa	12
20	1	343376040	Anillo obturador	12
21	1	143115800	Rodamiento radial	13
22	1	330001820	Ventilador	13
23	1	310009410	Inducido cpl.,120 V	39
24	1	143115810	Rodamiento radial 6X 19X 6	13
25	1	343394750	Brida intermedia	12
26	2	141118260	Torn.alom.para chapa	11
27	1	311009830	Inductor cpl. 120 V	31
28	1	338054440	Placa de características	11
29	1	343394070	Tapa sin electronico	14
30	1	344095920	Tope de goma	11
31	1	143192430	"Anillo ""o"""	12
32	3	341520230	Pasador cilindrico	11
33	1	315013250	Carcasa de motor	23
34	1	338121950	Etiqueta de advertencia 50 x 16	11
35	1	316046960	Juego de escobillas,120 V	23
36	1	316042250	Modulo portaescobillas,120V	24
37	1	343409240	Interruptor electronico sin rueda de aju	28
38	5	141116020	Torn.alom.para chapa	12
39	1	343398530	Empunadura de pistola 2p c.revestimiento	21
40	2	344097580	Tapon de goma	11
41	1	141117060	Torn.alom.para chapa	12

Posicion	Cantidad	Referencia	Descripcion	PG
42	1	343362490	Abrazadera de cable	12
43	1	343394300	Boquilla de cable	12
44	1	344494030	Cable con enchufe estadounidense	27
45	1	341701940	Tornillo cilindrico	12
880	1	344130930	Tubo de grasa 50Gr 1,8oz	35
882	1	344130800	Tubo de grasa	26
884	1	344130560	Tubo de grasa 50Gr 1,8oz	33
886	1	344131030	Tubo de grasa 50Gr 1,8oz	24
1001	1	338505160	Esquema electrico,230 V	

